

CBD Tinc 1000mg

Sample ID: 2603NBL0591.1547

Matrix: Ingestible

Type: Tincture

Sample Size:

Date Collected:

Received: 04/07/2026

Completed: 04/09/2026

Expires: 04/09/2027

External Lot ID: CBD260102

Batch#: CBD260102

Client

LSM Health + Wellness

Lic. #

1305 Airline Rd #4 Corpus Christi, TX 78412

(806) 445-6990 jake@dropsoflifecbd.com



Summary

Test	Date Tested	Result
Cannabinoids	04/08/2026	Complete

Cannabinoids

Complete

ND Total THC	ND Δ9-THC	1,099.770 mg/unit Total CBD	1,104.399 mg/unit Total Cannabinoids
------------------------	---------------------	---------------------------------------	--

Analyte	LOD	LOQ	Result	Result
	mg/unit	mg/unit	mg/unit	mg/mL
(6aR,9R)-d10-THC	2.9030	4.355	ND	ND
9R-HHC	2.9030	4.355	ND	ND
(6aR,9S)-d10-THC	2.9030	4.355	ND	ND
9S-HHC	2.9030	4.355	ND	ND
CBC	2.9030	4.355	ND	ND
CBCa	2.9030	4.355	ND	ND
CBD	2.9030	4.355	1099.770	36.65899
CBDa	2.9030	4.355	ND	ND
CBDV	2.9030	4.355	4.629	0.15431
CBDVa	2.9030	4.355	ND	ND
CBG	2.9030	4.355	ND	ND
CBGa	2.9030	4.355	ND	ND
CBN	2.9030	4.355	ND	ND
CBNa	2.9030	4.355	ND	ND
Δ8-THC	2.9030	4.355	ND	ND
Δ9-THC	2.9030	4.355	ND	ND
THCa	2.9030	4.355	ND	ND
THCp	2.9030	4.355	ND	ND
THCV	2.9030	4.355	ND	ND
THCVa	2.9030	4.355	ND	ND
Total THC			ND	ND
Total CBD			1099.770	36.65899
Total			1104.399	36.81330

Date Tested: 04/08/2026

Density: 1 mL = 0.958 g, Unit Mass: 28.740 g, 1 Unit = 30 mL

Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total THC Measurement of Uncertainty: ± 0.040%, Total CBD Measurement of Uncertainty: ± 2.000%.



Ashley Phillips

Ashley Phillips
Laboratory Director
04/09/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.