

2000mg Tincture

Sample ID: 2603NBL0591.1548
Matrix: Ingestible
Type: Tincture
Sample Size:
Date Collected:

Received: 04/07/2026
Completed: 04/09/2026
Expires: 04/09/2027
External Lot ID: CBD260102
Batch#: CBD260102

Client
LSM Health + Wellness
Lic. #
1305 Airline Rd #4 Corpus Christi, TX 78412
(806) 445-6990 jake@dropsoflifecbd.com



Summary

Test	Date Tested	Result
Cannabinoids	04/08/2026	Complete

Cannabinoids

Complete

ND Total THC	ND Δ9-THC	2,264.222 mg/unit Total CBD	2,273.388 mg/unit Total Cannabinoids
------------------------	---------------------	---------------------------------------	--

Analyte	LOD	LOQ	Result	Result
	mg/unit	mg/unit	mg/unit	mg/mL
(6aR,9R)-d10-THC	2.9204	4.381	ND	ND
9R-HHC	2.9204	4.381	ND	ND
(6aR,9S)-d10-THC	2.9204	4.381	ND	ND
9S-HHC	2.9204	4.381	ND	ND
CBC	2.9204	4.381	ND	ND
CBCa	2.9204	4.381	ND	ND
CBD	2.9204	4.381	2264.222	75.47406
CBDa	2.9204	4.381	ND	ND
CBDV	2.9204	4.381	9.166	0.30554
CBDVa	2.9204	4.381	ND	ND
CBG	2.9204	4.381	ND	ND
CBGa	2.9204	4.381	ND	ND
CBN	2.9204	4.381	ND	ND
CBNa	2.9204	4.381	ND	ND
Δ8-THC	2.9204	4.381	ND	ND
Δ9-THC	2.9204	4.381	ND	ND
THCa	2.9204	4.381	ND	ND
THCp	2.9204	4.381	ND	ND
THCV	2.9204	4.381	ND	ND
THCVa	2.9204	4.381	ND	ND
Total THC			ND	ND
Total CBD			2264.222	75.47406
Total			2273.388	75.77959

Date Tested: 04/08/2026
Density: 1 mL = 0.954 g, Unit Mass: 28.620 g, 1 Unit = 30 mL
Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.
Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total THC Measurement of Uncertainty: ± 0.040%, Total CBD Measurement of Uncertainty: ± 2.000%.



Ashley Phillips

Ashley Phillips
Laboratory Director
04/09/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.